



Komunica[®]

Giving Shape to your Accessories




Batteries & Chargers
Baterías y Cargadores

www.komunicapower.com


Indice / Table of contents

Recambio Baterías	Pgs
<i>Two Way Radio Batteries</i>	
Compatible with:	
ALAN	4
HARRIS	4
HORA/REXON/STANDARD	4
ICOM	5
KENWOOD	7
HYTERA	8
MOTOROLA	9
PUMA	11
SEPURA	11
TAIT	12
VERTEX/YAESU	12
KYODO	13
CARGADORES / CHARGERS	14
CLIPS DE CINTURÓN / BELT CLIPS	15
PORTA PILAS / BATTERY HOLDER	15
CRANE REMOTE CONTROL BATTERIES	16



ALAN

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	AP-0513-H	PMP-446 SP-400 Midland 81-B02 HM-105 / 106 / 405 / 406 (BP-0518)	NI-MH	7.2V/1800mAh	12.16*5.94*2.33

HARRIS

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	BT-003-H	P-5300 / 5370 5400 / 5450 5470 / 7300 7350 / 7370	NI-MH Li-ion	7.2V/2700 mAh 7.4V/2200 mAh 2600 mAh/3400 mAh	11.44*6.18*2.66

HORA / REXON / STANDARD

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	CNB-152-H	C-150/ 158 / 228 / 528 / 558 / 628 / 28A HX-240 / 242 / 620 / 190	NI-MH	12V/1100mAh	7.72*5.56*3.30
	CNB-152-SH	REXON RL-102 / 112 / 402 / 412 / 501 REXON RV-100/400	NI-MH	12V/700mAh	4.81*5.55*3.20

ICOM

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	BP-140-H	IC-F30 / F35 / F40 / F45 / F30LT/ F40LT	NI-MH	7.2V/2200mAh	10.68*6.03*2.20
	BP-160-H	IC-2 / 40GX / 3GX/ 4GXA / 4GXE/ A / AT / E / ET / F10 / F20 / M10 / T / W1 / W21 / X21	NI-MH	7.2V/2200mAh	5.30*5.68*3.76
	BP-166-H	IC-A3 / A3E / A22 / A22E	NI-MH	12V/1100mAh	7.37*5.70*3.50
	BP-180-H	IC-T42A / T42E T7M / T22A / T22E	Ni-MH	7.2/1100mAh	7.58*5.63*2.02
	BP-196-H	IC-A4 / F3 / F3S / F4 / F4S / 3FX / T2H EF-JOHNSON 587-7500-105	NI-MH	7.2V/1800mAh	13.53*5.78*2.20
	BP-210-H	IC-F3GT / F3GS / F4GT / F4GS / F11 / F11S / F12 / F12S / F21 / F21S / F22 / F22S / F22SR / F30GT / F30GS / F31GT / F31GS / F40GT / F40GS / F41GT / F41GS / A6 / A24 / V8 / V82 / T3H / U82 / FuG 10b / 11b / 13b	NI-MH	7.2V/1800mAh	12.07*5.40*2.60
	BP-211-Li		Li-ion	7.4V/2000mAh	12.00*5.40*2.60
	BP-217-Li	IC-T90A / E90	Li-ion	7.4V/1400mAh	4*85*5.80*2.10




ICOM

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	BP-232-Li	IC-F33 / F43 / F43TR / F34 / F44 / F16 / F16S / F26 / F26S / F33GT / F33GS / F43GT / F43GS / F14 / F15 / F24 / F25 / F3020 / F3060 / F4020 / F4060 / F4023 / F3160 / 4160	Li-ion	7.4V/2200mAh	9.13*5.64*2.10
	BP-252-Li	IC-M2A / M21 / M31 / M32 / M33 / M34 / M35 / M36 / M90 / M90E / GM1600 / GM1600E	Li-ion	7.4V/2000mAh	12.24*5.82*1.96
	BP-256-LI	IC-92AD / E92D ID-92	Li-ion	7.4 V/1400mAh	6.25*2.10 *4.98
	BP-265-Li	IC-V80 / G80 / F3002 / F3003 / F4002 / F4003 / F3103D / F4103D / T70	Li-ion	7.4V/2200mAh	10.51*5.87*2.20
	BP-272-Li	IC-31A / 31E / 51A / 51E	Li-ion	7.4V/2000mAh	8.68*5.70*1.50
	BP-280-Li	ICF-1000 Series ICF-2000 Series	Li-ion	7.4V/2400mAh	10.45*5.2*1.75

KENWOOD

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	KNB-12-H	TK-250 / 259 / 350 / 353 / 359 / 430 / 431	NI-MH	7.2V / 1800mAh	7.60*5.80*3.00
	KNB-14-H	TK-260 / 270 / 270G / 272 / 278 / 360 / 378 / 388 / 2100 / 2107 / 3100 / 3101 / 3102 / 3107	NI-MH	7.2V / 1800mAh	11.01*6.12*1.75
	KNB-15-H		NI-MH	7.2V / 1800mAh	11.01*6.00*2.10
	KNB-17-H	TK-280 / 290 / 380 / 390 / 480 / 481	NI-MH	7.2V / 2000mAh	11.05*5.84*2.10
	KNB-29-H	TK-2200/2201 2202 / 2206 / 2207 / 2212 / 2217 / 2302 / 2306 / 2307 / 3200 / 3201 / 3202 / 3207 / 3217 / 3502 / 3301 / 3302 / 3307 / 3401	NI-MH	7.2V / 1800mAh	11.50*5.45*1.80
	KNB-45-Li		Li-ion	7.4V/2000mAh	11.15*5.40*1.90
	KNB-57-Li	TK-2140 / 2148 / 2160 / 2168 / 2170 / 3140 / 3148 / 3160 / 3168 / 3170 NX-220/320	Li-ion	7.4V/2000mAh	10.10*5.59*1.75
	KNB-63-Li	TH-K20A / K20E /K40E TK-2000 / 2000T 3000 / 3000T U100 / 3401 / 3501	Li-ion	7.4V/1500mAh	9.17*5.37*1.72
	PB-32-H		NI-MH	TH-22AT/42AT TH-79A TH-208/308	6.28*5.62*1.83
	PB-34-H	TH-22AT / 42AT / 79A / 208 / 308	NI-MH	9.6V/1100mAh	9.00*5.59*2.44

KENWOOD

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	PB-42-Li	TH-FTE / F6A / F7E	Li-ion	7.4V/2000mAh	8.10*5.80*1.64
	PB-43-H	TH-K2AT / K2E / K2ET / K4AT / K4E / 255A	NI-MH	7.2V/1300mAh	10.10*5.81*1.72
	UPB-1-H	UBZ-LF14FRS	NI-MH	7.2V/1800mAh	5.21*4.55*1.42

HYTERA

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	AP-75-H	TC-446 / 500	NI-MH	6V/1600mAh	9.25*5.36*2.14
	AP-BH1801-H	TC-700 / 780 / 780M / 710	NI-MH	7.2V/1800mAh	11.02*5.63*2.27
	AP-BL2102-Li		Li-ion	7.4V/2000mAh	11.02*5.63*2.27
	AP-BL2006-Li	PD-700 / 780 / 785 / 785G / 788G	Li-ion	7.4V/2000mAh	10.62*5.60*1.84
	AP-BL-2010	PD-505 / 605 / 405	Li-ion	7.4V/2000mAh	8.38*5.22*2.02
	AP-BL2503	PT-580	Li-ion	7.4/2200mAh	


MOTOROLA

	Código Item N°	Original	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	AP-300-H	HNN9628	GP-88 / 300 LTS2000 / GTX	NI-MH	7.2V/1800mAh	14.08*5.88*2.30
	AP-318-Li	HNN9013	GP-140 / 240 / 280 / 320 / 330 / 338 / 340 / 360 / 380 / 580 / 640 / 680 / 1280 PRO SERIES	Li-ion	7.4V/2000mAh	12.37*5.95*1.93
	AP-328-H	HNN9008	HT-750 / 1250/1550 PTX-700 MTX-450 / 900 / 960 PRO5150 /5550 / 7150 / 9150	NI-MH	7.2V/1800mAh	12.36*5.74*2.35
	AP-2000-H	NTN7144	HT-1000 PTX-1200 MTX-838 / 8000 / 9000 GP-900 / 1200	NI-MH	7.2V/2200mAh	15.40*5.95*2.39
	AP-2000-Li		MTS-2000 / 2100 MTZ-2000 MT-2000 / 2100	Li-ion	7.2V/2000mAh	
	AP-4002-H	HKNN4002A	TALKABOUT T-5320/5400 / 5420 / 5600 / 5620 / 5700 / 5710 / 5720 / 5800 / 5820 OMEL/T5950 RADIOS	NI-MH	3.6V/1800mAh	5.00*4.28*1.44
	AP-4003-H	IXNN4002A	TLRK-T5 / T7 / T8	NI-MH	4.8V/700mAh	4.60*4.20*1.16
	AP-4023-Li	JMNN4023R	PRO5150 ELITE GL-2000 GP-328PLUS / 344 / 388 / 688 EX-500/600	Li-ion	7.4V/2000mAh	9.15*6.06*2.10
	AP-4065-H	PMNN4065	XPR / 6300 / 6350 / 6500 / 6550 DP-3600 / 3601 / 3400 / 3401	NI-MH	7.2V/1800mAh	13.00*5.44*2.33
	AP-4066-Li	PMNN4066	MOTOTRBO XIR P6620 / 6600 / 8200 / 8260 / 8268	Li-ion	7.4V/2000mAh	13.00*5.44*2.33


MOTOROLA

	Código Item N°	Original	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	AP-4406-Li	PMNN4406	XPR-3000 / 3300 / 3500/ 7000 / 7350 / 7550 DP-4000 / 4400 / 4401 / 4600 / 4800 / 4801 / 6401	Li-ion	7.4V/1600mAh	11.40*5.52*1.75
	AP-4412-H	PMNN4412	XiR-P8608 / P8668/P8660 DEP-550/570 DGP-8050/8550	NI-MH	7.2V/1400mAh	11.40*5.56*2.43
	AP-4415-H	PMNN4415	DP-2000 / 2400 DP2600	NI-MH	7.2V/1400mAh	11.40*5.56*2.43
	AP-4416-Li	PMNN4416	XiR-P6600 / P8600 / P8620 / P8660 / P8668	Li-ion	7.4V/2000mAh	11.40*5.52*1.75
	AP-4497-Li	NNTN4497		Li-ion	7.4V/2600mAh	12.10*6.02*2.40
	AP-4851-H	NNTN4851	CP-040 / 140 / 150/ 200 / 340 / 380 EP-450 GP-3188 / 3688 PR400	NI-MH	7.2V/1800mAh	12.12*6.00*2.11
	AP-4970-Li	NNTN4970		Li-ion	7.4V/2000mAh	12.10*6.03*1.86
	AP-5705-Li	NNTN4655B	MTH-650 / 800 DTR-510 / 550 / 610 / 620 / 650	Li-ion	3.7V/2000mAh	5.64*3.53*1.12
	AP-6305-Li	RLN-6305	CP-110	Li-ion	7.4V/2600mAh	11.3*5.32*2.35
	AP-6574-Li	FTN6574	MTP-800 / 850 CEP-400	Li-ion	3.7V/2000mAh	7.80*4.60*1.47




MOTOROLA

	Código Item N°	Original	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	GP-2000-H	PMNN4052A	GP-2000 P020 / P030 P2150 CP-125	NI-MH	7.2V/2000mAh	11.50*5.74*2.2


PUMA

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	PUMA	Puma T2	NI-MH	7.2V/2000mAh	15.7*5.6*1.4





SEPURA

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	SRP-2000-Li	SRP-2000 / 3000 SRH-3500 / 3800 SRC-3300	Li-ion	7.4V/1200mAh	8.10*5.75*1.50
	STP-9000-Li	STP-8000 / 8100 / 8200 / 9035 / 9038/ 9040/ 9080	Li-Polymer	7.4V/1800mAh	7.5*5.4*1.8
	SRP-9100-H	SRP-8000 / 8030 / 9100 / 9120 / 9130	NI-MH	7.2V/2700mAh	6.43*2.56*14.0
	SRP-9100-Li		Li-ion	7.2V/3000mAh	

TAIT

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	A-TOPB500-H	TAIT ORCA 5000 SERIES PANTHER 400 /600/605	NI-MH	7.2V/2200mAh	11.76*6.24*2.35


VERTEX/YAESU

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	FNB-12-H	FT-23R / 33R / 73R / 204 / 407R / 411E / 411R / 728 / 811R / 207 / 208 / 708 FTC-703 / 1903 /2003 / 2203 /2205 /5203 FTH-2005 / 2008 /7005 / 7008 FTM-2001	NI-MH	12V/1100mAh	8.19*5.50*3.24
	FNB-V-47-H	FT-10 / 40 / 41 / 50 / 10R / 40R / 50R VX-10V / 10U	NI-MH	7.2V/1800mAh	9.91*5.66*2.55
	FNB-52-Li	VX-1R	Li-ion	3.7V/700mAh	6.77*1.58*1.85
	FNB-V-67-Li	VX-110/120/146 / 150 / 160 / 170 / 180 / 210 / 246 / 400 / 410 / 414 / 417 / 420A / 424 / 427 / 428 / 800V / 800U	Li-ion	7.4V/2000mAh	9.48*5.83*1.83
	FNB-V-83-H	FT-60R / 250 / 250R HX-270S / 370S / 500S / 600S	NI-MH	7.2V/1800mAh	9.50*5.79*1.60

VERTEX/YAESU

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capaci- dad Voltage/Capacity	Dimensiones Dimension (cm)
	FNB-78-H	FT-897 / 897D	NI-MH	13.2V/4500mAh	18.93*9.20*2.52
	FNB-80-Li	VX-6 / 7R VXA-710 HX-471S	Li-ion	7.4V/1400mAh	4.85*5.82*2.05
	FNB-V87-Li	VX-820 / 824E / 829 / 920	Li-ion	7.4V/2200 mAh	9.03*5.50*2.68
	FNB-V-96-Li	VX-350 / 354 / 351 / 354-U / 351-U	Li-ion	7.4V/2200mAh	9.95*5.67*2.20
	FNB-102-Li	VX-8E / 8R / 8DR / 8DE	Li-ion	7.4V/2000mAh	9.02*5.80*1.46
	FNB-104-Li	VX-228 / 230 / 231 / 241	Li-ion	7.4V/2200mAh	9.00*5.70*2.20
	FNB-V-106-H		NI-MH	7.2V/1200mAh	8.95*6.07*2.25
	FNB-V-113-Li	VX-450 / 451 / 454 / 459	Li-ion	7.4V/2200mAh	10.37*5.80*2.37
	FNB-V-132-UNI	VX-228 / 230 / 234 / 241 / 354 New Series	Li-ion	7.4V/2200mAh	8.06*5.03*1.09
	FNB-V-134-Li	VX-260 / 261 / 264 / 451 / 454 / 459 EVX-530 / 531 SRC-3300 / 3300/ 534 / 539 Series UNI	Li-ion	7.4V/2600mAh (with indicator of capacity)	4.8*5.82*2.05

KYODO

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	NH-1100-H	KG-209 / 309	NI-MH	7.2V/2200mAh 7.2V/1650mAh	6.50*3.40*5.65



CARGADORES Compatibles / Compatible **CHARGERS**

	Código Item N°	Compatibilidad baterías Bat. Compatibility	Voltaje/Capacidad Voltage/Capacity	Características Features
	DSK-S1-SRP9100	SRP-8000 / 8030 / 9100 / 9120 / 9130	12V / 1000mAh	TRI-Chemist / NI-Cd / Ni-MH / Li-ion
	DSK-GP300	AP-300-H	Input: 15V / 800mA Output: 8.4V / 1000mA (Li-ion) Output: 7.2V / 1000mA (Ni-CD)	Desktop Rapid Charged Ni-CD / Ni-MH
	DSK-GP320	MNN-4024R JMNN-4023R HNN-9008 / 9009 / 9010 / 9012 / 9011 / 9013 AP-318-Li / 328-Li	Input: DC 15V / 800mA Output: DC 8.4V / 1000mA (Li-ion) Output: DC 7.2V/1000mA (Ni-MH / Ni-CD)	TRI-Chemist NI-Cd / Ni-MH / Li-ion
	DSK-24	KNB-14-H / 15-H	Input: DC 15V / 700mA Charging current: 700mA ±100mA Constant Voltage: 6.0V±0.25V (Ni- MH)	Desktop Rapid Charged Ni-MH
	DSK-35	KNB-45-Li	Input: DC 12V / 1000mA Constant Current: Output 640mA±40mA Charger Voltage: 8.5V (Li-ion)	Desktop Rapid Charged Li-ion
	DSK-KNB57	KNB-24-Li / 26-Li / 35-Li / 55-Li / 57-Li	Input: DC 15V / 800mA Output: DC 8.4V/1000mA (Li-ion)	Desktop Rapid Charged Li-ion

CLIPS DE CINTURON / Belt Clip

	Código Item N°	Modelo batería/ Model batery	Compatibilidad baterías Bat. Compatibility
	C -BC-29	KENWOOD	KNB-29 / 30 /45
	C-BC-80	KENWOOD	TK-2140 / 3140 / 2160 / 3160 / 2170 / 2360
	C-BC-230	KENWOOD	KNB-63 / 65
	C-AP-300	MOTOROLA	AP-300 / CP-040 DP-1400 / 2000 / 2400/2600 / 3400 / 3600 / 4000 / 4600 / 4800 / 2400 / 2600 / 3400 / 3600 / 4000
	C-BP-210-H	ICOM	BP-210
	C-FNB-47-H	VERTEX-YAESU	FNB-V-47-H

PORTA PILAS / Battery holder

	Código Item N°	Modelo batería/ Model batery	Compatibilidad baterías Bat. Compatibility
	BT-11	KENWOOD	TH-671, 6*AA
	FBA-10	VERTEX-YAESU	FT-411/4701, 6*AA

BATERIAS MANDO PTE. GRUA / Crane remote control batteries

	Código Item N°	Modelo Radio Radio Model	Tipo Type	Voltaje/Capacidad Voltage/Capacity	Dimensiones Dimension (cm)
	AP-BT-06K-4.8	IKUSI T-70-1 / 70-2 TM-70-1 / 70-2 BT- 06K / 08K	NI-MH	4.8V/1000mAh	7.10*5.36*1.99
	AP-BT-06-7.2		NI-MH	7.2V/1000mAh	7.10*5.36*1.99
	BA205	HBC FUB05AA FUB05AA FUB05XL BA225030	NI-MH	6V/1700mAh/2200mAh	8.20*5.65*2.45
	BA209	HBC FUB9NM BA209000 BA209060 BA209061	NI-MH	6V/700mAh	5.73*5.63*1.75
	BA210	HBC FUB10AA FUB10XL FUB78AA BA214061	NI-MH	2.6V/1700mAh/2200mAh	15.33*5.65*1.97
	BA223	HBC BA223000 BA223030	NI-MH	3.6V/2200mAh	6.05*4.75*1.80
	HE520	HETRONIC NOVA ERGO TYP 68300520	NI-MH	9.6V/750mAh	6.50*5.99*2.20
	HE900	HETRONIC MINI FBH300 68300600 /68300900	NI-MH	3.6V/2200mAh	5.53*6.02*2.20
	SR001	PALFINGER 590 / 960 SCANRECO EFFER SCANRECO FASSE SCANRECO FBS590	NI-MH	7.2V/1650mAh/2200	15.05*4.99*2.85

www.komunicapower.com



Komunica Power Accessories S.L.

Ctra. de Castellar, 537, Pol. Ind. Can Petit

08227 - Terrassa (BCN) - SPAIN

(+34) 93 884 35 07

info@komunicapower.com

OFFICIAL DEALER / DISTRIBUIDOR



0718

All trademarks are the property of their respective owners.

Todas las marcas registradas son propiedad de sus respectivos propietarios.